The application of agricultural source material to land.

<u>Inc</u> u		
Ref #	Circumstances	Chemical
	1. The agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre.	Nitrogen
		Phosphorus (total)
The a	pplication of commercial fertilizer to land.	
Ref #	Circumstances	Chemical
19	1. The commercial fertilizer is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is than 0.5 nutrient units per acre.	Nitrogen
20		Phosphorus (total)
<u>The a</u>	pplication of non-agricultural source material to land.	
Ref #	Circumstances	Chemical
37	1. The non-agricultural source material is applied to land located in a vulnerable area, where the managed land map shows a managed land percentage for the applicable area that is less than 40% and the livestock density map shows a livestock density for the applicable area that is sufficient to annually apply agricultural source material at a rate that is less than 0.5 nutrient units per acre.	Nitrogen
38		Phosphorus (total)
The a	pplication of pesticide to land.	
Ref #	Circumstances	Chemical
59	1. The area of land to which the pesticide is applied is less than 1 hectare.	Glyphosate
51		MCPB (4-(4-chloro-2- methylphenoxy)butanoic acid)
53		Metalaxyl
54		Metolachlor or s-Metolachlor
55		Pendimethalin
The a	pplication of road salt.	
Ref #	Circumstances	Chemical
8	1. The road salt is applied in an area where the percentage of total impervious surface area, as set out on a total impervious surface area map, is not more than 1 percent.	Chloride
39		Sodium
<u>The h</u>	andling and storage of a dense non-aqueous phase liquid. Threat Subcategory: Handling Of A Dense Non Aqueous Phase Liquid (DN	APL)
Ref #	Circumstances	Chemical
102	1. The below grade handling of a DNAPL in relation to its storage.	Dioxane-1,4
03		one or more Polycyclic Aromat Hydrocarbons (PAHs)
104		Tetrachloroethylene (PCE)

A blank cell indiates the text is the same as previous cells

The h	nandling and storage of a dense non-aqueous phase liquid. Threat St	ıbcategory: Handling Of A Dense Non Aqueous Phase Liquid (DNA	APL)
Ref # 105	Circumstances		Chemical Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
106			Vinyl chloride or another DNAPL that could degrade to vinyl chloride
The h	nandling and storage of fuel. Threat St	ibcategory: Handling Of Fuel	
Ref #	Circumstances		Chemical
112	1. The above grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 2 that manufacturers or refines fuel. 2. The quantity of liquid fuel stored is not more than 25 litres.	17/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility	BTEX
117	1. The above grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213 defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but		
118			Petroleum Hydrocarbons F1 (nC6- nC10)
119			Petroleum Hydrocarbons F4 (>nC34)
120			Petroleum Hydrocarbons F2 (>nC10- nC16)
121			Petroleum Hydrocarbons F3 (>nC16- nC34)
132	1. The above grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 2 that manufacturers or refines fuel. 2. The quantity of liquid fuel stored is more than 25, but not more than 250 litres.	17/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility	BTEX
133			Petroleum Hydrocarbons F1 (nC6- nC10)
134			Petroleum Hydrocarbons F4 (>nC34)
135			Petroleum Hydrocarbons F2 (>nC10- nC16)
136			Petroleum Hydrocarbons F3 (>nC16- nC34)
137	1. The above grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213 defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but than 250 litres.		BTEX
138			Petroleum Hydrocarbons F1 (nC6- nC10)
139			Petroleum Hydrocarbons F4 (>nC34)
140			Petroleum Hydrocarbons F2 (>nC10- nC16)
141			Petroleum Hydrocarbons F3 (>nC16- nC34)
142	1. The below grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 2 that manufacturers or refines fuel. 2. The quantity of liquid fuel stored is more than 25, but not more than 250 litres.	217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility	BTEX

The h	handling and storage of fuel. Threat Subcategory: Handling Of Fuel		
Ref #	# Circumstances		Chemical
147	1. The below grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety A defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2. The quantity of liquid fuel stored than 250 litres.		
152	1. The above grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and S that manufacturers or refines fuel. 2. The quantity of liquid fuel stored is more than 250, but not more than 2,500 litres.	Safety Act, 2000, or a facility	BTEX
153			Petroleum Hydrocarbons F1 (nC6- nC10)
154			Petroleum Hydrocarbons F4 (>nC34)
155			Petroleum Hydrocarbons F2 (>nC10- nC16)
156			Petroleum Hydrocarbons F3 (>nC16- nC34)
158	1. The above grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety A defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2. The quantity of liquid fuel stored more than 2,500 litres.		Petroleum Hydrocarbons F1 (nC6- nC10)
159			Petroleum Hydrocarbons F4 (>nC34)
160			Petroleum Hydrocarbons F2 (>nC10- nC16)
161			Petroleum Hydrocarbons F3 (>nC16- nC34)
162	1. The below grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and S that manufacturers or refines fuel. 2. The quantity of liquid fuel stored is more than 250, but not more than 2,500 litres.	Safety Act, 2000, or a facility	BTEX
163			Petroleum Hydrocarbons F1 (nC6- nC10)
164			Petroleum Hydrocarbons F4 (>nC34)
165			Petroleum Hydrocarbons F2 (>nC10- nC16)
166			Petroleum Hydrocarbons F3 (>nC16- nC34)
167	1. The below grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety A defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2. The quantity of liquid fuel stored is more than 2,500 litres.		BTEX
168			Petroleum Hydrocarbons F1 (nC6-nC10)
169			Petroleum Hydrocarbons F4 (>nC34)
170			Petroleum Hydrocarbons F2 (>nC10- nC16)
171			Petroleum Hydrocarbons F3 (>nC16- nC34)

Threat Subcategory: Handling Of Fuel

Ref #	Circumstances	Chemical
173	1. The above grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2. The quantity of liquid fuel stored is more than 2,500 litres.	Petroleum Hydrocarbons F1 (nC6- nC10)
74		Petroleum Hydrocarbons F4 (>nC34)
175		Petroleum Hydrocarbons F2 (>nC10- nC16)
176		Petroleum Hydrocarbons F3 (>nC16- nC34)
182	1. The below grade handling of liquid fuel in relation to its storage at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2. The quantity of liquid fuel stored is more than 2,500 litres.	BTEX
183		Petroleum Hydrocarbons F1 (nC6- nC10)
184		Petroleum Hydrocarbons F4 (>nC34)
185		Petroleum Hydrocarbons F2 (>nC10- nC16)
186		Petroleum Hydrocarbons F3 (>nC16- nC34)
187	1. The below grade handling of liquid fuel in relation to its storage at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2. The quantity of liquid fuel stored is more than 2,500 litres.	BTEX
188		Petroleum Hydrocarbons F1 (nC6- nC10)
189		Petroleum Hydrocarbons F4 (>nC34)
190		Petroleum Hydrocarbons F2 (>nC10- nC16)
191		Petroleum Hydrocarbons F3 (>nC16- nC34)
The n	nanagement of runoff that contains chemicals used in the de-icing of	
aircra	<u>ift.</u>	
Ref #	Circumstances	Chemical
192	1.Runoff containing de-icing materials may discharge to land or water. 2.The runoff originates at a remote airport.	Dioxane-1,4
193		Ethylene Glycol
195	1. Runoff containing de-icing materials may discharge to land or water. 2. The runoff originates at a small airport.	Ethylene Glycol
The e	stablishment, operation or maintenance of a system that collects, stores, Threat Subcategory: Sewage System Or Sewage Works - Combined Sewer d	lischarge from a
	mits, treats or disposes of sewage.	
Ref #	Circumstances	Chemical
212	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is not more than 500 cubic metres on an annual basis.	BTEX

The handling and storage of fuel.

transi	mits, treats or disposes of sewage. stormwater outlet to surface water	
Ref #	Circumstances	Chemical
213		Cadmium or one or more of its compounds containing Cadmium
214		Copper or one or more of its compounds containing Copper
215		Hexachlorobenzene
216		Lead or one or more of its compounds containing Lead
217		Mercury or one or more of its compounds containing Mercury
218		Nitrogen
219		Nitrosodimethylamine-N (NDMA)
220		one or more Polychlorinated Biphenyls (PCBs)
221		Pentachlorophenol
222		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
223		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
224		Zinc or one or more of its compounds containing Zinc
225	1. The system is a combined sewer that may discharge sanitary sewage containing human waste to surface water other than by way of a designed bypass. 2. The combined sewer is part of a system that includes a wastewater treatment facility designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis.	BTEX
226		Cadmium or one or more of its compounds containing Cadmium
227		Copper or one or more of its compounds containing Copper
228		Hexachlorobenzene
229 231		Lead or one or more of its compounds containing Lead Nitrogen
231		Nitrosodimethylamine-N (NDMA)
232		Pentachlorophenol
235		Trichloroethylene or another DNAPL
200		that could degrade to Trichloroethylene

<u>The establishment, operation or maintenance of a system that collects, stores,</u> transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Combined Sewer discharge from a stormwater outlet to surface water

<u>The establishment, operation or maintenance of a system that collects, stores,</u> transmits, treats or disposes of sewage. the stormwater of a system that collects are storewater of a system that collec		Threat Subcategory: Sewage System Or Sewage Works - Combined Sewer stormwater outlet to surface water			
Ref #	Circumstances		Chemical		
236			Vinyl chloride or another DNAPL that could degrade to vinyl chloride		
237			Zinc or one or more of its compounds containing Zinc		
	stablishment, operation or maintenance of a system that collects, stores, mits, treats or disposes of sewage.	Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Un A Stormwater Retention Pond	treated Stormwater From		
Ref #	Circumstances		Chemical		
277 278	1. The system is a storm water management facility designed to discharge storm water to land or surfa hectare and the predominant land uses in the area are rural, agricultural, or low density residential.	ace water. 2. The drainage area associated with the storm water management facility is not more than 1	Aluminum or one or more of its compounds containing Aluminum Arsenic or one or more of its compounds containing Arsenic		
279			Cadmium or one or more of its compounds containing Cadmium		
280			Chloride		
281			Chromium VI		
282			Copper or one or more of its compounds containing Copper		
283			Glyphosate		
284			Lead or one or more of its compounds containing Lead		
285			Mecoprop		
286			Mercury or one or more of its compounds containing Mercury		
287			Nickel or one or more of its compounds containing Nickel		
288			Nitrogen		
289			one or more Polycyclic Aromatic Hydrocarbons (PAHs)		
290			Petroleum Hydrocarbons F1 (nC6- nC10)		
291			Petroleum Hydrocarbons F4 (>nC34)		
292			Petroleum Hydrocarbons F2 (>nC10- nC16)		
293			Petroleum Hydrocarbons F3 (>nC16- nC34)		
294			Phosphorus (total)		

A blank cell indiates the text is the same as previous cells

-	mits, treats or disposes of sewage. A Stormwater Retention Pond	
Ref #	Circumstances	Chemical
295		Zinc or one or more of its compounds containing Zinc
296	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are rural, agricultural, or low density residential.	Aluminum or one or more of its compounds containing Aluminum
298		Cadmium or one or more of its compounds containing Cadmium
299		Chloride
300		Chromium VI
301		Copper or one or more of its compounds containing Copper
302		Glyphosate
303		Lead or one or more of its compounds containing Lead
304		Mecoprop
306		Nickel or one or more of its compounds containing Nickel
307		Nitrogen
308		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
309		Petroleum Hydrocarbons F1 (nC6- nC10)
310		Petroleum Hydrocarbons F4 (>nC34)
311		Petroleum Hydrocarbons F2 (>nC10- nC16)
312		Petroleum Hydrocarbons F3 (>nC16- nC34)
313		Phosphorus (total)
314		Zinc or one or more of its compounds containing Zinc
321	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 10 but not more than 100 hectares and the predominant land uses in the area are rural, agricultural, or low density residential.	Glyphosate
328		Petroleum Hydrocarbons F1 (nC6- nC10)
329		Petroleum Hydrocarbons F4 (>nC34)
330		Petroleum Hydrocarbons F2 (>nC10- nC16)

<u>The establishment, operation or maintenance of a system that collects, stores,</u> transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From A Stormwater Retention Pond

The establishment, operation or maintenance of a system that collects, stores,
transmits, treats or disposes of sewage.Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From
A Stormwater Retention Pond

Ref #	Circumstances	Chemical
353	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land use in the area is high density residential land use.	Aluminum or one or more of its compounds containing Aluminum
354		Arsenic or one or more of its compounds containing Arsenic
355		Cadmium or one or more of its compounds containing Cadmium
356		Chloride
357		Chromium VI
358		Copper or one or more of its compounds containing Copper
359		Glyphosate
360		Lead or one or more of its compounds containing Lead
361		Mecoprop
362		Mercury or one or more of its compounds containing Mercury
363		Nickel or one or more of its compounds containing Nickel
364		Nitrogen
365		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
366		Petroleum Hydrocarbons F1 (nC6- nC10)
367		Petroleum Hydrocarbons F4 (>nC34)
368		Petroleum Hydrocarbons F2 (>nC10- nC16)
369		Petroleum Hydrocarbons F3 (>nC16- nC34)
370		Phosphorus (total)
371		Zinc or one or more of its compounds containing Zinc
372	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land use in the area is high density residential land use.	Aluminum or one or more of its compounds containing Aluminum
375		Chloride
377		Copper or one or more of its compounds containing Copper
378		Glyphosate

Ref #	Circumstances	Chemical
382		Nickel or one or more of its compounds containing Nickel
383		Nitrogen
385		Petroleum Hydrocarbons F1 (nC6- nC10)
386		Petroleum Hydrocarbons F4 (>nC34)
387		Petroleum Hydrocarbons F2 (>nC10- nC16)
388		Petroleum Hydrocarbons F3 (>nC16- nC34)
389		Phosphorus (total)
390		Zinc or one or more of its compounds containing Zinc
429	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is not more than 1 hectare and the predominant land uses in the area are industrial or commercial.	Aluminum or one or more of its compounds containing Aluminum
431		Cadmium or one or more of its compounds containing Cadmium
432		Chloride
433		Chromium VI
434		Copper or one or more of its compounds containing Copper
435		Glyphosate
436		Lead or one or more of its compounds containing Lead
437		Mecoprop
439		Nickel or one or more of its compounds containing Nickel
440		Nitrogen
441		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
442		Petroleum Hydrocarbons F1 (nC6- nC10)
443		Petroleum Hydrocarbons F4 (>nC34)
444		Petroleum Hydrocarbons F2 (>nC10- nC16)
445		Petroleum Hydrocarbons F3 (>nC16- nC34)

The establishment, operation or maintenance of a system that collects, stores,
transmits, treats or disposes of sewage.Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From
A Stormwater Retention Pond

The establishment, operation or maintenance of a system that collects, stores,
transmits, treats or disposes of sewage.Threat Subcategory: Sewage System Or Sewage Works - Discharge Of Untreated Stormwater From
A Stormwater Retention Pond

Ref #	Circumstances	Chemical
446		Phosphorus (total)
447		Zinc or one or more of its compound containing Zinc
	1. The system is a storm water management facility designed to discharge storm water to land or surface water. 2. The drainage area associated with the storm water management facility is more than 1 but not more than 10 hectares and the predominant land uses in the area are industrial or commercial.	Glyphosate
461		Petroleum Hydrocarbons F1 (nC6- nC10)
462		Petroleum Hydrocarbons F4 (>nC34)
463		Petroleum Hydrocarbons F2 (>nC10- nC16)
transr	stablishment, operation or maintenance of a system that collects, stores, Threat Subcategory: Sewage System Or Sewage Works - Industrial Effluent mits, treats or disposes of sewage.	
Ref #	Circumstances	Chemical
524	1. The system discharges to surface water and has as its primary function the collection, transmission or treatment of industrial sewage. 2. The system is not part of a facility for which the NPRI Notice requires a	Dichlorobenzene-1,2 (ortho)
524	person to report.	
553	person to report.	Phenol (or its salts)
553 The es transr	person to report. stablishment, operation or maintenance of a system that collects, stores, Threat Subcategory: Sewage System Or Sewage Works - Sanitary Sewers an mits, treats or disposes of sewage.	nd related pipes
553 The es transr Ref # 656	person to report. stablishment, operation or maintenance of a system that collects, stores, Threat Subcategory: Sewage System Or Sewage Works - Sanitary Sewers and	
553 The es t ransr Ref #	person to report. stablishment, operation or maintenance of a system that collects, stores, Threat Subcategory: Sewage System Or Sewage Works - Sanitary Sewers an mits, treats or disposes of sewage. Circumstances 1.The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2.The system is designed to	nd related pipes Chemical
553 The es transr Ref # 556	person to report. stablishment, operation or maintenance of a system that collects, stores, Threat Subcategory: Sewage System Or Sewage Works - Sanitary Sewers an mits, treats or disposes of sewage. Circumstances 1.The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2.The system is designed to	ad related pipes Chemical BTEX Cadmium or one or more of its
553 The est transr Ref # 556 557 560	person to report. stablishment, operation or maintenance of a system that collects, stores, Threat Subcategory: Sewage System Or Sewage Works - Sanitary Sewers an mits, treats or disposes of sewage. Circumstances 1.The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2.The system is designed to	ad related pipes Chemical BTEX Cadmium or one or more of its compounds containing Cadmium
553 The est transf Ref # 556 557 560 561	person to report. stablishment, operation or maintenance of a system that collects, stores, Threat Subcategory: Sewage System Or Sewage Works - Sanitary Sewers an mits, treats or disposes of sewage. Circumstances 1.The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2.The system is designed to	nd related pipes Chemical BTEX Cadmium or one or more of its compounds containing Cadmium Hexachlorobenzene Lead or one or more of its
553 The es transf Ref # 556 557 560 561 562	person to report. stablishment, operation or maintenance of a system that collects, stores, Threat Subcategory: Sewage System Or Sewage Works - Sanitary Sewers an mits, treats or disposes of sewage. Circumstances 1.The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2.The system is designed to	nd related pipes Chemical BTEX Cadmium or one or more of its compounds containing Cadmium Hexachlorobenzene Lead or one or more of its compounds containing Lead Mercury or one or more of its
553 The est transf Ref # 556 557 560 561 562 563	person to report. stablishment, operation or maintenance of a system that collects, stores, Threat Subcategory: Sewage System Or Sewage Works - Sanitary Sewers an mits, treats or disposes of sewage. Circumstances 1.The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2.The system is designed to	Ad related pipes Chemical BTEX Cadmium or one or more of its compounds containing Cadmium Hexachlorobenzene Lead or one or more of its compounds containing Lead Mercury or one or more of its compounds containing Mercury
553 The es transr Ref # 656	person to report. stablishment, operation or maintenance of a system that collects, stores, Threat Subcategory: Sewage System Or Sewage Works - Sanitary Sewers an mits, treats or disposes of sewage. Circumstances 1.The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2.The system is designed to	Ad related pipes Chemical BTEX Cadmium or one or more of its compounds containing Cadmium Hexachlorobenzene Lead or one or more of its compounds containing Lead Mercury or one or more of its compounds containing Mercury Nitrogen one or more Polychlorinated

<u>The establishment, operation or maintenance of a system that collects, stores</u>, Threat Subcategory: Sewage System Or Sewage Works - Sanitary Sewers and related pipes transmits, treats or disposes of sewage.

Ref #	Circumstances	Chemical
669	1. The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2. The system is designed to convey more than 10,000, but not more than 100,000 cubic metres of sewage per day.	BTEX
670		Cadmium or one or more of its compounds containing Cadmium
671		Copper or one or more of its compounds containing Copper
672		Dichlorobenzidine-3,3'
673		Hexachlorobenzene
674		Lead or one or more of its compounds containing Lead
675		Mercury or one or more of its compounds containing Mercury
676		Nitrogen
677		one or more Polychlorinated Biphenyls (PCBs)
578		one or more Polycyclic Aromatic Hydrocarbons (PAHs)
679		Pentachlorophenol
680		Phosphorus (total)
681		Zinc or one or more of its compound containing Zinc
682	1. The system is part of a wastewater collection facility that collects or transmits sewage containing human waste, but does not include a sewage storage tank or a designed bypass. 2. The system is designed to convey more than 100,000 cubic metres of sewage per day.	BTEX
683		Cadmium or one or more of its compounds containing Cadmium
584		Copper or one or more of its compounds containing Copper
685		Dichlorobenzidine-3,3'
586		Hexachlorobenzene
687		Lead or one or more of its compounds containing Lead
688		Mercury or one or more of its compounds containing Mercury
689		Nitrogen
690		one or more Polychlorinated Biphenyls (PCBs)

<u>The establishment, operation or maintenance of a system that collects, stores</u>, Threat Subcategory: Sewage System Or Sewage Works - Sanitary Sewers and related pipes transmits, treats or disposes of sewage.

Ref # Circumstances	Chemical
691	one or more Polycyclic Aromatic Hydrocarbons (PAHs)
692	Pentachlorophenol
693	Phosphorus (total)
694	Zinc or one or more of its compounds containing Zinc

<u>The establishment, operation or maintenance of a system that collects, stores</u>, Threat Subcategory: Sewage System Or Sewage Works - Septic System transmits, treats or disposes of sewage.

Ref #	Circumstances	Chemical
695	1. The system is an earth pit privy, privy vault, greywater system, cesspool, or a leaching bed system and its associated treatment unit. 2. The system is subject to the Ontario Building Code Act, 1992.	Acetone
696		Chloride
697		Dichlorobenzene-1,4 (para)
698		Nitrogen
599		Phosphorus (total)
700		Sodium
701	1. The system is an earth pit privy, privy vault, greywater system, cesspool, or a leaching bed system and its associated treatment unit. 2. The system is a sewage works within the meaning of the Ontario Water Resources Act.	Acetone
702		Chloride
703		Dichlorobenzene-1,4 (para)
704		Nitrogen
705		Phosphorus (total)
706		Sodium

<u>The establishment, operation or maintenance of a system that collects, stores</u>, Threat Subcategory: Sewage System Or Sewage Works - Septic System Holding Tank transmits, treats or disposes of sewage.

Ref #	Circumstances	Chemical
707	1. The system requires or uses a holding tank for the retention of hauled sewage at the site where it is produced before its collection by a hauled sewage system. 2. The system is subject to the Ontario Building Code Act, 1992.	Acetone
708		Chloride
709		Dichlorobenzene-1,4 (para)
710		Nitrogen
711		Phosphorus (total)

<u>The establishment, operation or maintenance of a system that collects, stores</u>, Threat Subcategory: Sewage System Or Sewage Works - Septic System Holding Tank transmits, treats or disposes of sewage.

Ref #	Circumstances	Chemical
712		Sodium
	1. The system requires or uses a holding tank for the retention of hauled sewage at the site where it is produced before its collection by a hauled sewage system. 2. The system is a sewage w meaning of the Ontario Water Resources Act.	orks within the Acetone
714		Chloride
15		Dichlorobenzene-1,4 (para)
16		Nitrogen
717		Phosphorus (total)
718		Sodium
	establishment, operation or maintenance of a system that collects, stores, smits, treats or disposes of sewage. Circumstances	wage treatment plant bypass discharge to Chemical
/19	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facil discharge treated sanitary sewage at an average daily rate that is not more than 500 cubic metres on an annual basis.	
20		Cadmium or one or more of its compounds containing Cadmium
21		Copper or one or more of its compounds containing Copper
22		Hexachlorobenzene
23		Lead or one or more of its compounds containing Lead
24		Mercury or one or more of its compounds containing Mercury
25		Nitrogen
26		Nitrosodimethylamine-N (NDMA)
27		one or more Polychlorinated Biphenyls (PCBs)
28		Pentachlorophenol
29		Trichloroethylene or another DNA that could degrade to Trichloroethylene
730		Vinyl chloride or another DNAPL that could degrade to vinyl chloride

<u>The establishment, operation or maintenance of a system that collects, stores,</u> <u>transmits, treats or disposes of sewage.</u> Threat Subcategory: Sewage System Or Sewage Works - Sewage treatment plant bypass discharge to surface water

Ref #	Circumstances	Chemical
732	1. The system is a wastewater treatment facility that may discharge sanitary sewage containing human waste to surface water by way of a designed bypass. 2. The wastewater treatment facility is designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis.	BTEX
733		Cadmium or one or more of its compounds containing Cadmium
734		Copper or one or more of its compounds containing Copper
735		Hexachlorobenzene
736		Lead or one or more of its compounds containing Lead
738		Nitrogen
739		Nitrosodimethylamine-N (NDMA)
741		Pentachlorophenol
742		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
743		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
744		Zinc or one or more of its compounds containing Zinc

<u>The establishment, operation or maintenance of a system that collects, stores,</u> <u>transmits, treats or disposes of sewage.</u> Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

Ref #	Circumstances	Chemical
784	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is not more than 500 cubic metres on an annual basis.	Antimony or one or more of its compounds containing Antimony
785		Arsenic or one or more of its compounds containing Arsenic
786		Barium
787		BTEX
788		Cadmium or one or more of its compounds containing Cadmium
789		Chlorophenol-2
790		Chromium VI
791		Copper or one or more of its compounds containing Copper
792		Cyanide (CN-)

Ref #	Circumstances	Chemical
793		Dibutyl phthalate
794		Dichlorobenzene-1,2 (ortho)
795		Dichlorobenzene-1,4 (para)
796		Dichlorophenol-2,4
797		Ethylene Glycol
798		Lead or one or more of its compounds containing Lead
799		MCPA (2-methyl-4- chlorophenoxyacetic acid)
800		Mercury or one or more of its compounds containing Mercury
801		Nickel or one or more of its compounds containing Nickel
802		Nitrogen
803		Nitrosodimethylamine-N (NDMA)
804		Phenol (or its salts)
805		Phosphorus (total)
806		Silver or one or more of its compounds containing Silver
807		Zinc or one or more of its compounds containing Zinc
810	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis.	Barium
811		BTEX
812		Cadmium or one or more of its compounds containing Cadmium
813		Chlorophenol-2
814		Chromium VI
815		Copper or one or more of its compounds containing Copper
816		Cyanide (CN-)
817		Dibutyl phthalate
818		Dichlorobenzene-1,2 (ortho)
819		Dichlorobenzene-1,4 (para)

<u>The establishment, operation or maintenance of a system that collects, stores,</u> transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

	ints, treats of disposes of sewage. (includes Lagoons)	
Ref #	Circumstances	Chemical
320		Dichlorophenol-2,4
21		Ethylene Glycol
22		Lead or one or more of its compounds containing Lead
325		Nickel or one or more of its compounds containing Nickel
326		Nitrogen
27		Nitrosodimethylamine-N (NDMA)
28		Phenol (or its salts)
329		Phosphorus (total)
330		Silver or one or more of its compounds containing Silver
331		Zinc or one or more of its compound containing Zinc
341	1. The system is a wastewater treatment facility that discharges directly to land or surface water through a means other than a designed bypass. 2. The system is designed to discharge treated sanitary sewage at average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis.	Dibutyl phthalate
342		Dichlorobenzene-1,2 (ortho)
343		Dichlorobenzene-1,4 (para)
345		Ethylene Glycol
352		Phenol (or its salts)
	establishment, operation or maintenance of a system that collects, stores, mits, treats or disposes of sewage. Tanks)	
Ref #	Circumstances	Chemical
942	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis.	BTEX
943		Cadmium or one or more of its compounds containing Cadmium
945		compounds containing Cadmium
943 945 946 947		compounds containing Cadmium Hexachlorobenzene Lead or one or more of its

<u>The establishment, operation or maintenance of a system that collects, stores,</u> transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Sewage Treatment Plant Effluent Discharges (Includes Lagoons)

A blank cell indiates the text is the same as previous cells

Ref #	Circumstances	Chemical
949		Nitrosodimethylamine-N (NDMA)
950		one or more Polychlorinated Biphenyls (PCBs)
952		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
953		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
981	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis.	BTEX
982		Cadmium or one or more of its compounds containing Cadmium
983		Copper or one or more of its compounds containing Copper
984		Hexachlorobenzene
985		Lead or one or more of its compounds containing Lead
986		Mercury or one or more of its compounds containing Mercury
987		Nitrogen
988		Nitrosodimethylamine-N (NDMA)
989		one or more Polychlorinated Biphenyls (PCBs)
990		Pentachlorophenol
991		Trichloroethylene or another DNAPI that could degrade to Trichloroethylene
992		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
993		Zinc or one or more of its compounds containing Zinc
94	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis.	BTEX
995		Cadmium or one or more of its compounds containing Cadmium
997		Hexachlorobenzene

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

A blank cell indiates the text is the same as previous cells

transi	mits, treats or disposes of sewage. Tanks)	
Ref #	Circumstances	Chemical
998		Lead or one or more of its compounds containing Lead
999		Mercury or one or more of its compounds containing Mercury
1000		Nitrogen
1001		Nitrosodimethylamine-N (NDMA)
1002		one or more Polychlorinated Biphenyls (PCBs)
1004		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1005		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1020	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	BTEX
1021		Cadmium or one or more of its compounds containing Cadmium
1022		Copper or one or more of its compounds containing Copper
1023		Hexachlorobenzene
1024		Lead or one or more of its compounds containing Lead
1025		Mercury or one or more of its compounds containing Mercury
1026		Nitrogen
1027		Nitrosodimethylamine-N (NDMA)
1028		one or more Polychlorinated Biphenyls (PCBs)
1029		Pentachlorophenol
1030		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1031		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1032		Zinc or one or more of its compounds containing Zinc

The establishment, operation or maintenance of a system that collects, stores, transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

<u>The establishment, operation or maintenance of a system that collects, stores,</u> transmits, treats or disposes of sewage. Threat Subcategory: Sewage System Or Sewage Works - Storage Of Sewage (E.G. Treatment Plant Tanks)

Ref #	Circumstances	Chemical
1033	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 17,500 but not more than 50,000 cubic metres on an annual basis.	BTEX
1034		Cadmium or one or more of its compounds containing Cadmium
1035		Copper or one or more of its compounds containing Copper
1036		Hexachlorobenzene
1037		Lead or one or more of its compounds containing Lead
1038		Mercury or one or more of its compounds containing Mercury
1039		Nitrogen
1040		Nitrosodimethylamine-N (NDMA)
1041		one or more Polychlorinated Biphenyls (PCBs)
1042		Pentachlorophenol
1043		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1044		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1045		Zinc or one or more of its compounds containing Zinc
1061	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is at or above grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis.	Copper or one or more of its compounds containing Copper
1068		Pentachlorophenol
1071		Zinc or one or more of its compounds containing Zinc
1072	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste and is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis.	BTEX
1073		Cadmium or one or more of its compounds containing Cadmium
1074		Copper or one or more of its compounds containing Copper
1075		Hexachlorobenzene

Ref #	Circumstances	Chemical
1076		Lead or one or more of its compounds containing Lead
077		Mercury or one or more of its compounds containing Mercury
1078		Nitrogen
079		Nitrosodimethylamine-N (NDMA)
080		one or more Polychlorinated Biphenyls (PCBs)
081		Pentachlorophenol
082		Trichloroethylene or another DNAPI that could degrade to Trichloroethylene
1083		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
084		Zinc or one or more of its compound containing Zinc
968	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 500 but not more than 2,500 cubic metres on an annual basis.	BTEX
969		Cadmium or one or more of its compounds containing Cadmium
971		Hexachlorobenzene
072		Lead or one or more of its compounds containing Lead
973		Mercury or one or more of its compounds containing Mercury
74		Nitrogen
75		Nitrosodimethylamine-N (NDMA)
76		one or more Polychlorinated Biphenyls (PCBs)
78		Trichloroethylene or another DNAP that could degrade to Trichloroethylene
979		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1007	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 2,500 but not more than 17,500 cubic metres on an annual basis.	BTEX

The establishment, operation or maintenance of a system that collects, stores, transmits_treats or disposes of sewage (E.G. Treatment Plant Tanks)

	mits, treats or disposes of sewage. Tanks)	
Ref #	Circumstances	Chemical
1008		Cadmium or one or more of its compounds containing Cadmium
1009		Copper or one or more of its compounds containing Copper
1010		Hexachlorobenzene
1011		Lead or one or more of its compounds containing Lead
1012 1013		Mercury or one or more of its compounds containing Mercury Nitrogen
1014		Nitrosodimethylamine-N (NDMA)
1015		one or more Polychlorinated Biphenyls (PCBs)
1016		Pentachlorophenol
1017		Trichloroethylene or another DNAF that could degrade to Trichloroethylene
1018		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1019		Zinc or one or more of its compoun containing Zinc
1046	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario W part of the tank, but not all, is below grade. 2. The system is associated with a wastewater treatment facility that is debut not more than 50,000 cubic metres on an annual basis.	BTEX
1047		Cadmium or one or more of its compounds containing Cadmium
1048		Copper or one or more of its compounds containing Copper
1049		Hexachlorobenzene
050		Lead or one or more of its compounds containing Lead
051		Mercury or one or more of its compounds containing Mercury
1052		Nitrogen
1053		Nitrosodimethylamine-N (NDMA)
1054		one or more Polychlorinated Biphenyls (PCBs)

transmits, treats or disposes of sewage. Tanks)			
Ref #	Circumstances	Chemical	
1055		Pentachlorophenol	
1056		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene	
1057		Vinyl chloride or another DNAPL that could degrade to vinyl chloride	
1058		Zinc or one or more of its compounds containing Zinc	
1087	1. The system is a treatment tank or storage tank that is part of a sewage works within the meaning of the Ontario Water Resources Act, the tank treats or stores sanitary sewage containing human waste, and a part of the tank, but not all, is below grade. 2. The system is associated with a wastewater treatment facility that is designed to discharge treated sanitary sewage at an average daily rate that is more than 50,000 cubic metres on an annual basis.	Copper or one or more of its compounds containing Copper	
1094		Pentachlorophenol	
1097		Zinc or one or more of its compounds containing Zinc	
<u>The h</u>	nandling and storage of a dense non-aqueous phase liquid. Threat Subcategory: Storage Of A Dense Non Aqueous Phase Liquid (DNA)	PL)	
Ref #	Circumstances	Chemical	
1103	1. The storage of a DNAPL below grade.	Dioxane-1,4	
1104		one or more Polycyclic Aromatic Hydrocarbons (PAHs)	
1105		Tetrachloroethylene (PCE)	
1106		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene	
1107		Vinyl chloride or another DNAPL that could degrade to vinyl chloride	
The h	nandling and storage of pesticide. Threat Subcategory: Storage Of A Pesticide		
Ref #	Circumstances	Chemical	
1113	1.A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is not more than 25 kilograms.	Atrazine	
1114		Dicamba	
1115		Dichlorophenoxy Acetic Acid (D-2,4)	
1116		Dichloropropene-1,3	
1118		MCPA (2-methyl-4- chlorophenoxyacetic acid)	

<u>The establishment, operation or maintenance of a system that collects, stores,</u> transmits_treats or disposes of sewage

<u>The h</u>	andling and storage of pesticide. Threat Subcategory: Storage Of A Pesticide	
Ref # 1119	Circumstances	Chemical MCPB (4-(4-chloro-2- methylakanawy)bytancia acid)
1120		methylphenoxy)butanoic acid) Mecoprop
1124	1.A pesticide is stored for retail sale or for use in extermination within the meaning of the Pesticides Act. 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is not more than 25 kilograms.	Atrazine
1125		Dicamba
1126		Dichlorophenoxy Acetic Acid (D-2,4)
1127		Dichloropropene-1,3
1128		Glyphosate
1129		MCPA (2-methyl-4- chlorophenoxyacetic acid)
1130		MCPB (4-(4-chloro-2- methylphenoxy)butanoic acid)
1131		Mecoprop
1132		Metalaxyl
1133		Metolachlor or s-Metolachlor
1134		Pendimethalin
1135	1.A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the Pesticides Act. 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 25 but not more than 250 kilograms.	Atrazine
1136		Dicamba
1137		Dichlorophenoxy Acetic Acid (D-2,4)
1138		Dichloropropene-1,3
1139		Glyphosate
1140		MCPA (2-methyl-4- chlorophenoxyacetic acid)
1141		MCPB (4-(4-chloro-2- methylphenoxy)butanoic acid)
1142		Mecoprop
1143		Metalaxyl
1144		Metolachlor or s-Metolachlor
1145		Pendimethalin
1146	1.A pesticide is stored for retail sale or for use in extermination within the meaning of the Pesticides Act. 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 25 but not more than 250 kilograms.	Atrazine
1147		Dicamba
1148		Dichlorophenoxy Acetic Acid (D-2,4)

The h	The handling and storage of pesticide. Threat Subcategory: Storage Of A Pesticide	
Ref #	Circumstances	Chemical
1149		Dichloropropene-1,3
1150		Glyphosate
1152		MCPB (4-(4-chloro-2- methylphenoxy)butanoic acid)
1153		Mecoprop
1154		Metalaxyl
1155		Metolachlor or s-Metolachlor
1156		Pendimethalin
1157	1.A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms.	Atrazine
1158		Dicamba
1159		Dichlorophenoxy Acetic Acid (D-2,4)
1160		Dichloropropene-1,3
1161		Glyphosate
1163		MCPB (4-(4-chloro-2- methylphenoxy)butanoic acid)
1164		Mecoprop
1165		Metalaxyl
1166		Metolachlor or s-Metolachlor
1167		Pendimethalin
1172	1.A pesticide is stored for retail sale or for use in extermination within the meaning of the Pesticides Act. 2. The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms.	Glyphosate
1174		MCPB (4-(4-chloro-2- methylphenoxy)butanoic acid)
1176		Metalaxyl
1177		Metolachlor or s-Metolachlor
1178		Pendimethalin
1183	1.A pesticide is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or for use in extermination within the meaning of the Pesticides Act. 2.The total mass of all materials stored that contain the pesticide, in any form including liquid or solid, is more than 2,500 kilograms.	Glyphosate
1185		MCPB (4-(4-chloro-2- methylphenoxy)butanoic acid)
1187		Metalaxyl
1188		Metolachlor or s-Metolachlor
1189		Pendimethalin

The storage of agricultural source material.

Ref #	Circumstances	Chemical
1205	1. The agricultural source material is stored below grade in or on a permanent nutrient storage facility. 2. The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is not more than 0.5 nutrient units per acre of the farm units.	Nitrogen
1206		Phosphorus (total)
1213	1. The agricultural source material is stored below grade in or on a permanent nutrient storage facility. 2. The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 0.5, but not more than 1.0 nutrient unit per acre of the farm units.	Nitrogen
1214		Phosphorus (total)
1221	1. The agricultural source material is stored below grade in or on a permanent nutrient storage facility. 2. The weight or volume of manure stored annually on a farm unit is sufficient to annually land apply agricultural source material at a rate that is more than 1.0 nutrient unit per acre of the farm units.	Nitrogen
1222		Phosphorus (total)
<u>The h</u>	andling and storage of an organic solvent. Threat Subcategory: Storage Of An Organic Solvent	
Ref #	Circumstances	Chemical
1225	1. The organic solvent is stored in a container at or above grade. 2. The quantity of organic solvent stored is not more than 25 litres.	Carbon Tetrachloride
1226		Chloroform
1227		Methylene Chloride (Dichloromethane)
1228		Pentachlorophenol
1233	1. The organic solvent is stored in a container a part of which, but not all, is below grade. 2. The quantity of organic solvent stored is not more than 25 litres.	Carbon Tetrachloride
1234		Chloroform
1235		Methylene Chloride (Dichloromethane)
1236		Pentachlorophenol
1237	1. The organic solvent is stored in a container at or above grade. 2. The quantity of organic solvent stored is more than 25, but not more than 250 litres.	Carbon Tetrachloride
1238		Chloroform
1239		Methylene Chloride (Dichloromethane)
1240		Pentachlorophenol
1241	1. The organic solvent is stored in a container that is located below grade. 2. The quantity of organic solvent stored is more than 25, but not more than 250 litres.	Carbon Tetrachloride
1242		Chloroform
1243		Methylene Chloride (Dichloromethane)
1245	1. The organic solvent is stored in a container a part of which, but not all, is below grade. 2. The quantity of organic solvent stored is more than 25, but not more than 250 litres.	Carbon Tetrachloride
1246		Chloroform
1247		Methylene Chloride (Dichloromethane)

Ref #	Circumstances	Chemical
1248		Pentachlorophenol
1252	1. The organic solvent is stored in a container at or above grade. 2. The quantity of organic solvent stored is more than 250, but not more than 2,500 litres.	Pentachlorophenol
1253	1. The organic solvent is stored in a container that is located below grade. 2. The quantity of organic solvent stored is more than 250, but not more than 2,500 litres.	Carbon Tetrachloride
1254		Chloroform
1255		Methylene Chloride (Dichloromethane)
1256		Pentachlorophenol
1260	1. The organic solvent is stored in a container a part of which, but not all, is below grade. 2. The quantity of organic solvent stored is more than 250, but not more than 2,500 litres.	
1265	1. The organic solvent is stored in a container that is located below grade. 2. The quantity of organic solvent stored is more than 2,500 litres.	Carbon Tetrachloride
1266		Chloroform
1267		Methylene Chloride (Dichloromethane)
1268		Pentachlorophenol
The l	andling and storage of commercial fertilizer. Threat Subcategory: Storage Of Commercial Fertilizer	
Ref #	Circumstances	Chemical
1273	1. The commercial fertilizer is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or in relation to the application of the fertilizer. 2. The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is not more than 25 kilograms.	Nitrogen
1274		Phosphorus (total)
1275	1. The commercial fertilizer is stored for retail sale or in relation to its application. 2. The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is not more than 25 kilograms.	Nitrogen
1276		Phosphorus (total)
1277	1. The commercial fertilizer is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or in relation to the application of the fertilizer. 2. The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 25 but not more than 250 kilograms.	Nitrogen
1278		Phosphorus (total)
1279	1. The commercial fertilizer is stored for retail sale or in relation to its application. 2. The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 25 but not more than 250 kilograms.	Nitrogen
1280		Phosphorus (total)
1281	1. The commercial fertilizer is stored at a facility where it is manufactured or processed, or from which it is wholesaled, excluding storage related solely to retail sale or in relation to the application of the fertilizer. 2. The total mass of all materials stored that contain the commercial fertilizer, in any form including liquid or solid, is more than 250 but not more than 2,500 kilograms.	Nitrogen
1282		Phosphorus (total)
The ł	andling and storage of fuel. Threat Subcategory: Storage Of Fuel	
Inci		

A blank cell indiates the text is the same as previous cells

The h	andling and storage of fuel. Threat Subcategory: Storage Of Fuel	
Ref #	Circumstances	Chemical
1294	1. The storage of liquid fuel in a tank at or above grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2. The fuel is stored in a quantity that is not more than 25 litres.	
1295		Petroleum Hydrocarbons F1 (nC6- nC10)
1296		Petroleum Hydrocarbons F4 (>nC34)
1297		Petroleum Hydrocarbons F2 (>nC10- nC16)
1298		Petroleum Hydrocarbons F3 (>nC16- nC34)
1319	1. The storage of liquid fuel in a tank at or above grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2. The fuel is stored in a quantity that is more than 25, but not more than 250 litres.	BTEX
1320		Petroleum Hydrocarbons F1 (nC6- nC10)
1321		Petroleum Hydrocarbons F4 (>nC34)
1322		Petroleum Hydrocarbons F2 (>nC10- nC16)
1323		Petroleum Hydrocarbons F3 (>nC16- nC34)
1324	1. The storage of liquid fuel in a tank at or above grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2. The fuel is stored in a quantity that is more than 25, but not more than 250 litres.	BTEX
1325		Petroleum Hydrocarbons F1 (nC6- nC10)
1326		Petroleum Hydrocarbons F4 (>nC34)
1327		Petroleum Hydrocarbons F2 (>nC10- nC16)
1328		Petroleum Hydrocarbons F3 (>nC16- nC34)
1329	1. The storage of liquid fuel in a tank below grade and at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2. The fuel is stored in a quantity that is more than 25, but not more than 250 litres.	BTEX
1334	1. The storage of liquid fuel in a tank below grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2. The fuel is stored in a quantity that is more than 25, but not more than 250 litres.	
1349	1. The storage of liquid fuel in a tank at or above grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2. The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres.	BTEX
1350		Petroleum Hydrocarbons F1 (nC6- nC10)
1351		Petroleum Hydrocarbons F4 (>nC34)
1352		Petroleum Hydrocarbons F2 (>nC10- nC16)

The h	nandling and storage of fuel. Threat Subcategory: Storage Of Fuel	
Ref # 1353	Circumstances	Chemical Petroleum Hydrocarbons F3 (>nC16- nC34)
1355	1. The storage of liquid fuel in a tank at or above grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2. The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres.	Petroleum Hydrocarbons F1 (nC6- nC10)
1356		Petroleum Hydrocarbons F4 (>nC34)
1357		Petroleum Hydrocarbons F2 (>nC10- nC16)
1358		Petroleum Hydrocarbons F3 (>nC16- nC34)
1359	1. The storage of liquid fuel in a tank below grade and at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2. The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres.	BTEX
1360		Petroleum Hydrocarbons F1 (nC6- nC10)
1361		Petroleum Hydrocarbons F4 (>nC34)
1362		Petroleum Hydrocarbons F2 (>nC10- nC16)
1363		Petroleum Hydrocarbons F3 (>nC16- nC34)
1364	1. The storage of liquid fuel in a tank below grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2. The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres.	BTEX
1365		Petroleum Hydrocarbons F1 (nC6- nC10)
1366		Petroleum Hydrocarbons F4 (>nC34)
1367		Petroleum Hydrocarbons F2 (>nC10- nC16)
1368		Petroleum Hydrocarbons F3 (>nC16- nC34)
1380	1. The storage of liquid fuel in a tank at or above grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2. The fuel is stored in a quantity that is more than 2,500 litres.	Petroleum Hydrocarbons F1 (nC6- nC10)
1381		Petroleum Hydrocarbons F4 (>nC34)
1382		Petroleum Hydrocarbons F2 (>nC10- nC16)
1383		Petroleum Hydrocarbons F3 (>nC16- nC34)
1389	1. The storage of liquid fuel in a tank below grade and at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2. The fuel is stored in a quantity that is more than 2,500 litres.	BTEX
1390		Petroleum Hydrocarbons F1 (nC6- nC10)

The h	nandling and storage of fuel. Threat Subcategory: Storage Of Fuel	
Ref #	Circumstances	Chemical
1391		Petroleum Hydrocarbons F4 (>nC34)
1392		Petroleum Hydrocarbons F2 (>nC10- nC16)
1393		Petroleum Hydrocarbons F3 (>nC16- nC34)
1394	1. The storage of liquid fuel in a tank below grade at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2. The fuel is stored in a quantity that is more than 2,500 litres.	BTEX
1395		Petroleum Hydrocarbons F1 (nC6- nC10)
1396		Petroleum Hydrocarbons F4 (>nC34)
1397		Petroleum Hydrocarbons F2 (>nC10- nC16)
1398		Petroleum Hydrocarbons F3 (>nC16- nC34)
1309	1. The storage of liquid fuel in a tank, a part of which, but not all, is below grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2. The fuel is stored in a quantity that is not more than 25 litres.	BTEX
1310		Petroleum Hydrocarbons F1 (nC6- nC10)
1311		Petroleum Hydrocarbons F4 (>nC34)
1312		Petroleum Hydrocarbons F2 (>nC10- nC16)
1313		Petroleum Hydrocarbons F3 (>nC16- nC34)
1314	1. The storage of liquid fuel in a tank, a part of which, but not all, is below grade and at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2. The fuel is stored in a quantity that is not more than 25 litres.	BTEX
1339	1. The storage of liquid fuel in a tank, a part of which, but not all, is below grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a facility as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2. The fuel is stored in a quantity that is more than 25, but not more than 250 litres.	BTEX
1340		Petroleum Hydrocarbons F1 (nC6- nC10)
1341		Petroleum Hydrocarbons F4 (>nC34)
1342		Petroleum Hydrocarbons F2 (>nC10- nC16)
1343		Petroleum Hydrocarbons F3 (>nC16- nC34)
1344	1. The storage of liquid fuel in a tank, a part of which, but not all, is below grade and at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, or a facility that manufacturers or refines fuel. 2. The fuel is stored in a quantity that is more than 25, but not more than 250 litres.	BTEX
1345		Petroleum Hydrocarbons F1 (nC6- nC10)

The handling and storage of fuel. Threat Subcategory: Storage Of Fuel		Threat Subcategory: Storage Of Fuel	
Ref # 1346	Circumstances		Chemical Petroleum Hydrocarbons F4 (>nC34)
1347			Petroleum Hydrocarbons F2 (>nC10- nC16)
1348			Petroleum Hydrocarbons F3 (>nC16- nC34)
1370		which, but not all, is below grade at a facility as defined in section 1 of O. Reg. 213/01 (Fuel Oil) made under the Technical Standards and Safety Act, 2000 or a (Liquid Fuels) made under the Technical Standards and Safety Act, 2000, but not including a bulk plant. 2. The fuel is stored in a quantity that is more than 250,	Petroleum Hydrocarbons F1 (nC6- nC10)
1371			Petroleum Hydrocarbons F4 (>nC34)
1372			Petroleum Hydrocarbons F2 (>nC10- nC16)
1373			Petroleum Hydrocarbons F3 (>nC16- nC34)
1374		which, but not all, is below grade and at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, fuel. 2. The fuel is stored in a quantity that is more than 250, but not more than 2,500 litres.	BTEX
1375			Petroleum Hydrocarbons F1 (nC6- nC10)
1376			Petroleum Hydrocarbons F4 (>nC34)
1377			Petroleum Hydrocarbons F2 (>nC10- nC16)
1378			Petroleum Hydrocarbons F3 (>nC16- nC34)
1405		which, but not all, is below grade and at a bulk plant as defined in section 1 of O. Reg. 217/01 (Liquid Fuels) made under the Technical Standards and Safety Act, fuel. 2. The fuel is stored in a quantity that is more than 2,500 litres.	Petroleum Hydrocarbons F1 (nC6- nC10)
1406			Petroleum Hydrocarbons F4 (>nC34)
1407			Petroleum Hydrocarbons F2 (>nC10- nC16)
1408			Petroleum Hydrocarbons F3 (>nC16- nC34)
<u>The h</u>	andling and storage of non-agricult	tural source material. Threat Subcategory: Storage of Non-Agricultural Source Material (NASM)	
Ref #	Circumstances		Chemical
1413	1. The non-agricultural source material is stored b	below grade in or on a permanent nutrient storage facility. 2. The mass of nitrogen in the non-agricultural source material stored is less than 0.5 tonnes.	Nitrogen
1414			Phosphorus (total)
1421	1. The non-agricultural source material is stored by than 5 tonnes.	below grade in or on a permanent nutrient storage facility. 2. The mass of nitrogen in the non-agricultural source material stored is at least 0.5 tonnes but not more	Nitrogen
1422			Phosphorus (total)
1429	1. The non-agricultural source material is stored b	below grade in or on a permanent nutrient storage facility. 2. The mass of nitrogen in the non-agricultural source material stored is more than 5 tonnes.	Nitrogen
A	al call indictor the text is the same or pro-		

The handling and storage of non-agricultural source material. Threat Subcategory: Storage of Non-Agricultural Source Material (NASM)

Chemical

Phosphorus (total)

1430

Ref # Circumstances

The handling and storage of road salt.

Ref #	Circumstances	Chemical
1435	1. The storage of road salt in a salt dome or similar facility designed to protect the road salt from exposure to precipitation or runoff from precipitation or snow melt. 2. The quantity stored is less than 500 tonnes.	Chloride
1436		Sodium
1439	1. The storage of road salt in a salt dome or similar facility designed to protect the road salt from exposure to precipitation or runoff from precipitation or snow melt. 2. The quantity stored is at least 500, but not more than 5,000 tonnes.	Chloride
1440		Sodium

The storage of snow.

Ref #	Circumstances	Chemical
1452	1. The snow is stored at or above grade. 2. The area upon which snow is stored is at least 0.01, but not more than 0.5 hectares.	Petroleum Hydrocarbons F2 (>nC10- nC16)
1456	1. The snow is stored below grade. 2. The area upon which snow is stored is at least 0.01, but not more than 0.5 hectares.	Chloride
1457		Copper or one or more of its compounds containing Copper
1458		Cyanide (CN-)
1459		Lead or one or more of its compounds containing Lead
1460		Nitrogen
1461		Petroleum Hydrocarbons F1 (nC6- nC10)
1462		Petroleum Hydrocarbons F4 (>nC34)
1463		Petroleum Hydrocarbons F2 (>nC10- nC16)
1464		Petroleum Hydrocarbons F3 (>nC16- nC34)
1465		Sodium
1466		Zinc or one or more of its compounds containing Zinc
1478	1. The snow is stored below grade. 2. The area upon which snow is stored is more than 0.5, but not more than 1 hectares.	Chloride
1479		Copper or one or more of its compounds containing Copper
1480		Cyanide (CN-)
1481		Lead or one or more of its compounds containing Lead

The storage of snow.

1485 Petroleum Hydrocarbons F2 (>nC10-nC16) 1486 Petroleum Hydrocarbons R3 (>nC16-nC34) 1487 Stance or one or or or of its compounds containing Zine 1488 Chorde 1499 Its snow is stored below grade. 2. The area upon which snow is stored is more than 1, but not more than 5 hectares. Chorde 1500 I. The snow is stored below grade. 2. The area upon which snow is stored is more than 1, but not more than 5 hectares. Chorde 1501 I. The snow is stored below grade. 2. The area upon which snow is stored is more than 1, but not more than 5 hectares. Chorde 1502 I. The snow is stored below grade. 2. The area upon which snow is stored is more than 1, but not more than 5 hectares. Chorde 1502 I. The snow is stored below grade. 2. The area upon which snow is stored is more than 1, but not more than 5 hectares. Chorde 1502 I. The snow is stored below grade. 2. The area upon which snow is stored is more than 1, but not more than 5 hectares. Chorde 1503 I. The snow is stored below grade. 2. The area upon which snow is stored is more than 1, but not more than 5 hectares. Chorde 1504 I. The snow is stored below grade. 2. The area upon which snow is stored is more than 5 hectares. Nitrogen 1505 I. The snow is stored below grade. 2. The area upon which snow is stored. Petroleum H	Ref #	Circumstances	Chemical
148 700 148 Privilean Hydrexholes H2 (x0.24) (x0.24) 148 Solian 150 I.The more is stored below geale 2.The area upon which more is stored is more than 5 hectares. 150 I.The more is stored below geale 2.The area upon which more is stored is more than 5 hectares. 150 Cand or one or more of is companies containing Cange 150 Cand or one or more of is companies containing Cange 150 Cand or one or more of is companies containing Cange 150 Privilean Hydrexarbores H2 (x0.24)	1482		Nitrogen
148 Peroleum Hydrocarbox F2 (>xC10, GC (6) 1486 Peroleum Hydrocarbox F3 (>xC15, GC (7) 1487 Sodium 1488 Zinc or one r more of its compounds containing Zinc 1500 1The snow is stored below grade. 2:The area upon which snow is stored is more than 1, but not more than 5 hectares. 1501 1The snow is stored below grade. 2:The area upon which snow is stored is more than 5 hectares. 1502 Candor and area or more of its compounds containing Copper compounds containing Lad 1503 Lead or one or more of its compounds containing Copper containing Copper containing Copper containing Lad 1504 Reroleum Hydrocarbox F1 (xC1, Peroleum Hydrocarbox F1 (xC1, C1) 1505 Eard or one or more of its compounds containing Lad 1506 Peroleum Hydrocarbox F1 (xC1, Peroleum Hydrocarbox F1 (xC1	1483		
146 nc16 147 Reform Hydrosarbor F1 (nc1) (nc1) 148 Column 148 Column 149 Column 149 Column 149 Column 149 Column 149 Column 150 1.The arow is stored below grade. 2.The area upon which snow is stored is more than 1, but not more than 5 hectares. Column 150 Column Column Colum 150	1484		Petroleum Hydrocarbons F4 (>nC34)
1487 nc34 1488 Sodium 1499 1.The snow is stored below grade. 2.The area upon which snow is stored is more than 5 bectares. Charden 1501 1.The snow is stored below grade. 2.The area upon which snow is stored is more than 5 bectares. Charden 1502 1.The snow is stored below grade. 2.The area upon which snow is stored is more than 5 bectares. Charden 1503 1.The snow is stored below grade. 2.The area upon which snow is stored is more than 5 bectares. Cyardie (CN-) 1504 1.The snow is stored below grade. 2.The area upon which snow is stored is more than 5 bectares. Notice and the snow is stored is compounds containing 1 cade or more of is compounds containing 1 cade or cade or more of is compounds containing 2 cade or cade or more of is compounds containing 2 cade or cade o	1485		Petroleum Hydrocarbons F2 (>nC10- nC16)
1488 Zinc or one or one of its compounds containing Zinc 1500 1.The snow is stored below grade. 2.The area upon which snow is stored is more than 1, but not more than 5 hectares. Chloride 1501 Copper or one or one or d its compounds containing Zinc Copper or one or one or d its compounds containing Zinc 1502 Cyunide (X->) Lead or one or more of its compounds containing Lead 1503 Comper or one or one or of its compounds containing Lead Comper or one or one or of its compounds containing Lead 1504 Comper or one or one or of its compounds containing Lead Perroleam Hydrocarbox F1 (aC-F) 1505 Perroleam Hydrocarbox F2 (>aC10- nC10) Perroleam Hydrocarbox F2 (>aC10- nC10) 1506 Perroleam Hydrocarbox F2 (>aC10- nC10) Perroleam Hydrocarbox F2 (>aC10- nC10) 1509 Perroleam Hydrocarbox F2 (>aC10- nC10) Perroleam Hydrocarbox F2 (>aC10- nC10) 1509 Softain Zinc or on or more of its compounds containing Zinc 1509 Softain Zinc or on or more of its compounds containing Zinc 1510 Inservice in Hydrocarbox F3 (>aC10- nC10) Zinc or on or more of its compounds containing Zinc 1521 Inservice is stored below grade. 2.The area upon which snow is stored is more than 5 hectares. Chloride 1522 I.The snow is stored below grade. 2.The area upon which snow is stored is more than 5 hectares. Chloride <td< td=""><td>1486</td><td></td><td>Petroleum Hydrocarbons F3 (>nC16- nC34)</td></td<>	1486		Petroleum Hydrocarbons F3 (>nC16- nC34)
Interaction containing Zine 1500 Interaction is stored below grade. 2.The area upon which suove is stored is more than 5 bectares. Choixide 1502 Comport of the store is stored is more than 5 bectares. Comport of the store is stored is more of its comported is containing Lead 1503 Comport of the store is stored is more than 5 bectares. Ead or one or more of its comported is containing Lead 1504 Comport of the store is stored is more than 5 bectares. Petroleum Hydrocarbons F1 (nChar) 1505 Comport of the store is stored below grade. 2.The area upon which store is more than 5 bectares. Petroleum Hydrocarbons F2 (nCHar) 1506 Comport of the store is stored below grade. 2.The area upon which store is more than 5 bectares. Petroleum Hydrocarbons F2 (nCHar) 1507 Comport of the store is store is more than 5 bectares. Sodium 1509 Comport of the store is store is more than 5 bectares. Sodium 1509 Comport of the store is store is more than 5 bectares. Choixed 1510 Comport of the store is store is more than 5 bectares. Choixed 1521 Interaction the store is more than 5 bectares. Choixed 1522 Interaction the store of the store is more of the store of the store or the store of the	1487		Sodium
1501 Copper or one or more of its compounds containing Copper 1502 Compounds containing Copper 1503 Card or one or more of its compounds containing Lead 1504 Lead or one or more of its compounds containing Lead 1505 Scontaining Lead 1506 Petroleum Hydrocarbons F1 (aCf-acf-acf-acf-acf-acf-acf-acf-acf-acf-ac	1488		Zinc or one or more of its compounds containing Zinc
1502 compounds containing Copper 1503 Cyande (CA-) 1503 compounds containing Lead 1504 Nitrogen 1505 Parloaum Mydrocathons F1 (AC- aC10) 1506 Parloaum Mydrocathons F1 (AC- aC10) 1507 Parloaum Mydrocathons F1 (AC- aC10) 1507 Parloaum Mydrocathons F1 (AC- aC10) 1508 Parloaum Mydrocathons F1 (AC- aC10) 1509 Parloaum Mydrocathons F2 (APCI0) 1509 Parloaum Mydrocathons F3 (APCI0) 1509 Containing Zine 1509 Containing Zine 1509 Parloaum Mydrocathons F3 (APCI0) 1509 Containing Zine 1510 Containing Zine 1520 I.The sorv is stored helow grade, 2.The area upon which snow is stored is more than 5 hectares. Choirdia 1523 Containing Zine Containing Zine 1524 Containing Zine Copport or nor or or or or is compounds containing Copper 1525 Containe Line Xine Xine Xine Xine Xine Xine Xine X	1500	1. The snow is stored below grade. 2. The area upon which snow is stored is more than 1, but not more than 5 hectares.	Chloride
1503 Lead or one or more of its compounds containing Lead 1504 Nitrogen 1505 Petroleum Hydrocathons F1 (nC6-nC10) 1506 Petroleum Hydrocathons F2 (>nC10) 1507 Petroleum Hydrocathons F2 (>nC10) 1508 Petroleum Hydrocathons F2 (>nC10) 1509 Petroleum Hydrocathons F2 (>nC16) 1509 Sodium 1510 Sodium 1522 1.The snow is stored below grade. 2.The area upon which snow is stored is more than 5 hectares. Chloride 1523 Copper or one or more of its compounds containing Lead Copper or one or more of its compounds containing Zine	1501		
Independent compounds containing Lead Independent Netrogen Independent Netrogen <td>1502</td> <td></td> <td>Cyanide (CN-)</td>	1502		Cyanide (CN-)
1505 Petroleum Hydrocarbons F1 (nC6-nC10) 1506 Petroleum Hydrocarbons F4 (-nC34) 1507 Petroleum Hydrocarbons F4 (-nC34) 1508 Petroleum Hydrocarbons F4 (-nC34) 1509 Petroleum Hydrocarbons F4 (-nC34) 1509 Petroleum Hydrocarbons F3 (-nC16-nC34) 1509 Sodium 1509 Sodium 1510 Sodium 1521 I.The snow is stored below grade. 2.The area upon which snow is stored is more than 5 hectares. Choride 1522 I.The snow is stored below grade. 2.The area upon which snow is stored is more than 5 hectares. Choride 1523 Capper or one or more of its compounds containing Zine Compounds containing Copper or one or more of its compounds containing Copper or one or more of its compounds containing Copper or one or more of its compounds containing Lead compounds containing Lead or one or more of its compounds containing Lead or one or more of its compounds containing Lead or one or more of its compounds containing Lead or one or more of its compounds containing Lead or one or more of its compounds containing Lead or one or more of its compounds containing Lead or one or more of its compounds containing Lead or one or more of its compounds containing Lead or one or more of its compounds containing Lead or one or more of its compounds containing Lead or one or more of its compounds containing Lead or one or more of its compounds containing Lead or one or more of its compounds containing Lead or one or more of its compounds containing Lead o	1503		
Inclow Inclow 1506 Petroleum Hydrocarbons F4 (>nC34) 1507 Petroleum Hydrocarbons F2 (>nC10- nC16) 1508 Petroleum Hydrocarbons F3 (>nC16- nC34) 1509 Sodium 1510 Sodium 1520 1.The snow is stored below grade. 2.The area upon which snow is stored is more than 5 hectares. Copper or nor more of its compounds containing Copper 1521 1.The snow is stored below grade. 2.The area upon which snow is stored is more than 5 hectares. Copper or nor more of its compounds containing Copper 1522 1.The snow is stored below grade. 2.The area upon which snow is stored is more than 5 hectares. Copper or nor or more of its compounds containing Copper 1524 1.The snow is stored below grade. 2.The area upon which snow is stored is more than 5 hectares. Copper or nor more of its compounds containing Copper 1525 1.Store or or more of its compounds containing Copper Copper or or more of its compounds containing Lead 1526 Lead or one or more of its compounds containing Lead Copper or or more of its compounds containing Lead 1527 Externel Mydrocarbons F1 (mC6- Nitrogen	1504		Nitrogen
1507 Petroleum Hydrocarbons F2 (>nC10-nC16) 1508 Petroleum Hydrocarbons F3 (>nC16-nC34) 1509 Sodium 1510 Sodium 1522 1.The snow is stored below grade. 2.The area upon which snow is stored is more than 5 hectares. Zinc or one or more of its compounds containing Zinc 1523 Copper or one or more of its compounds containing Copper Copper or one or more of its compounds containing Copper 1524 Capter or more of its compounds containing Copper Compounds containing Copper 1525 Lead or one or more of its compounds containing Lead or one or more of its compound	1505		
nC16) 1508 Petroleum Hydrocarbons F3 (>nC16- nC34) 1509 Sodium 1510 Sinc or one or more of its compounds containing Zinc 1522 1.The snow is stored below grade. 2.The area upon which snow is stored is more than 5 hectares. Chloride 1523 Copper or one or more of its compounds containing Copper 1524 Copper or one or more of its compounds containing Lead 1525 Lead or one or more of its compounds containing Lead 1526 Nitrogen 1527 Nitrogen	1506		Petroleum Hydrocarbons F4 (>nC34)
Incomposition Incomposition Incomposition Solition	1507		Petroleum Hydrocarbons F2 (>nC10- nC16)
1510 Zinc or one or more of its compounds containing Zinc 1522 1.The snow is stored below grade. 2.The area upon which snow is stored is more than 5 hectares. Chloride 1523 Copper or one or more of its compounds containing Copper 1524 Cyanide (CN-) 1525 Lead or one or more of its compounds containing Lead 1526 Nitrogen 1527 Petroleum Hydrocarbons F1 (nC6-	1508		Petroleum Hydrocarbons F3 (>nC16- nC34)
1522 1.The snow is stored below grade. 2.The area upon which snow is stored is more than 5 hectares. Chloride 1523 Copper or one or more of its compounds containing Copper 1524 Cyanide (CN-) 1525 Lead or one or more of its compounds containing Lead 1526 Nitrogen 1527 Petroleum Hydrocarbons F1 (nC6-	1509		Sodium
1523Copper or one or more of its compounds containing Copper1524Cyanide (CN-)1525Lead or one or more of its compounds containing Lead1526Nitrogen1527Petroleum Hydrocarbons F1 (nC6-	1510		Zinc or one or more of its compounds containing Zinc
interpretation compounds containing Copper 1524 Cyanide (CN-) 1525 Lead or one or more of its compounds containing Lead 1526 Nitrogen 1527 Petroleum Hydrocarbons F1 (nC6-	1522	1. The snow is stored below grade. 2. The area upon which snow is stored is more than 5 hectares.	Chloride
1525 Lead or one or more of its compounds containing Lead 1526 Nitrogen 1527 Petroleum Hydrocarbons F1 (nC6-	1523		
compounds containing Lead 1526 Nitrogen 1527 Petroleum Hydrocarbons F1 (nC6-	1524		Cyanide (CN-)
1527 Petroleum Hydrocarbons F1 (nC6-	1525		
	1526		Nitrogen
	1527		

The storage of snow.

Ref # Circumstances	Chemical
1528	Petroleum Hydrocarbons F4 (>nC34)
1529	Petroleum Hydrocarbons F2 (>nC10- nC16)
1530	Petroleum Hydrocarbons F3 (>nC16- nC34)
1531	Sodium
1532	Zinc or one or more of its compounds containing Zinc
The establishment operation or maintenance of a waste disposal site within — Threat Subcategory: Storage Trea	tmont And Discharge Of Tailings From Mines

<u>The establishment, operation or maintenance of a waste disposal site within</u> <u>the meaning of Part V of the Environmental Protection Act.</u> Threat Subcategory: Storage, Treatment And Discharge Of Tailings From Mines

Ref #	Circumstances	Chemical
1533	1. Tailings from mining operations are stored in a pit. 2. The site is not part of a facility for which the NPRI Notice requires a person to report.	Arsenic or one or more of its compounds containing Arsenic
1534		Cadmium or one or more of its compounds containing Cadmium
1535		Chromium VI
1536		Copper or one or more of its compounds containing Copper
1537		Cyanide (CN-)
1538		Lead or one or more of its compounds containing Lead
1539		Mercury or one or more of its compounds containing Mercury
1540		Nickel or one or more of its compounds containing Nickel
1541		Nitrogen
1542		Phosphorus (total)
1543		Silver or one or more of its compounds containing Silver
1544		Sulphide (Hydrogen)
1545		Zinc or one or more of its compounds containing Zinc
1549	1. Tailings from mining operations are stored using an impoundment structure located on the surface. 2. The site is not part of a facility for which the NPRI Notice requires a person to report.	Copper or one or more of its compounds containing Copper
1550		Cyanide (CN-)
1553		Nickel or one or more of its compounds containing Nickel

Ref #	Circumstances	Chemical
1554		Nitrogen
1555		Phosphorus (total)
1556		Silver or one or more of its compounds containing Silver
1557		Sulphide (Hydrogen)
1558		Zinc or one or more of its compounds containing Zinc
1560	1. Tailings from mining operations are stored in a pit. 2. The site is part of a facility for which the NPRI Notice requires a person to report and the report must include information in relation to a substance listed in Group 1, 2, 3 or 4 of Part 1 of Schedule 1 or Part 2 of Schedule 1 of the notice.	Cadmium or one or more of its compounds containing Cadmium
1561		Chromium VI
1562		Copper or one or more of its compounds containing Copper
1563		Cyanide (CN-)
1564		Lead or one or more of its compounds containing Lead
1566		Nickel or one or more of its compounds containing Nickel
1567		Nitrogen
568		Phosphorus (total)
1569		Silver or one or more of its compounds containing Silver
1570		Sulphide (Hydrogen)
1571		Zinc or one or more of its compounds containing Zinc

<u>The establishment, operation or maintenance of a waste disposal site within</u> the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Storage, Treatment And Discharge Of Tailings From Mines

<u>The establishment, operation or maintenance of a waste disposal site within</u> <u>the meaning of Part V of the Environmental Protection Act.</u> Threat Subcategory: Waste Disposal Site - Landfarming Of Petroleum Refining Waste

Ref #	Circumstances	Chemical
1587	1. The land disposal of petroleum refining waste within the meaning of clause (d) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) R.R.O. 1990 made under the Environmental Protection Act, is undertaken at the site. 2. The area where the land disposal is undertaken is not more than 1 hectare.	Petroleum Hydrocarbons F1 (nC6- nC10)
1588		Petroleum Hydrocarbons F4 (>nC34)
1589		Petroleum Hydrocarbons F2 (>nC10- nC16)
1590		Petroleum Hydrocarbons F3 (>nC16- nC34)

<u>The establishment, operation or maintenance of a waste disposal site within</u> <u>the meaning of Part V of the Environmental Protection Act.</u> Threat Subcategory: Waste Disposal Site - Landfilling (Hazardous Waste)

Ref #	Circumstances	Chemical
1603	1. The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2. The fill area is less than 1 hectare.	Arsenic or one or more of its compounds containing Arsenic
1604		Barium
1605		Cadmium or one or more of its compounds containing Cadmium
1606		Chromium VI
1607		Dichlorophenoxy Acetic Acid (D-2,4)
1608		Lead or one or more of its compounds containing Lead
1609		Mercury or one or more of its compounds containing Mercury
1610		one or more Polychlorinated Biphenyls (PCBs)
1611		Selenium or one or more of its compounds containing Selenium
1612		Silver or one or more of its compounds containing Silver
1613		Trichlorophenoxyacetic acid-2,4,5
1614		Uranium
1616	1. The land disposal of hazardous waste, liquid industrial waste, or processed liquid industrial waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347, R.R.O. 1990 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2. The fill area is at least 1 but not more than 10 hectares.	Barium

<u>The establishment, operation or maintenance of a waste disposal site within</u> <u>the meaning of Part V of the Environmental Protection Act.</u> Threat Subcategory: Waste Disposal Site - Landfilling (Municipal Waste)

Ref #	Circumstances	Chemical
1639	1. The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2. The fill area is less than 1 hectare.	Arsenic or one or more of its compounds containing Arsenic
1640		Barium
1641		BTEX
1642		Cadmium or one or more of its compounds containing Cadmium
1643		Dichlorobenzene-1,4 (para)
1644		Lead or one or more of its compounds containing Lead
1645		Mercury or one or more of its compounds containing Mercury

<u>The establishment, operation or maintenance of a waste disposal site within</u> the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Municipal Waste)

Ref #	Circumstances	Chemical
1646		Nitrogen
1647		Selenium or one or more of its compounds containing Selenium
1648		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1649		Uranium
1650		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1652	1. The land disposal of municipal waste, within the meaning of clauses (a) and (b) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2. The fill area is at least 1 but not more than 10 hectares.	Barium
1655		Dichlorobenzene-1,4 (para)
	stablishment, operation or maintenance of a waste disposal site within eaning of Part V of the Environmental Protection Act.Threat Subcategory: Waste Disposal Site - Landfilling (Solid Non Hazardou Commercial)	s Industrial or
Ref #	Circumstances	Chemical
1675 1676	1. The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2. The fill area is less than 1 hectare.	Arsenic or one or more of its compounds containing Arsenic Barium
		BTEX
1677		
1678		Cadmium or one or more of its compounds containing Cadmium
1679		Dichlorobenzene-1,4 (para)
1680		Lead or one or more of its compounds containing Lead
1681		Mercury or one or more of its compounds containing Mercury
1682		Nitrogen
1683		Selenium or one or more of its compounds containing Selenium
1684		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1685		Uranium
1686		Vinyl chloride or another DNAPL that could degrade to vinyl chloride

	The establishment, operation or maintenance of a waste disposal site within the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Landfilling (Solid Non Hazardous Industrial or Commercial)		
Ref #	Circumstances		Chemical
1688	1. The land disposal of industrial waste or commercial waste within the meaning of clause (c) of the definition of "land dis Environmental Protection Act, is undertaken at the site. 2. The fill area is at least 1 but not more than 10 hectares.	posal" in section 1 of Regulation 347 (General - Waste Management) made under the	Barium
1691			Dichlorobenzene-1,4 (para)
	establishment, operation or maintenance of a waste disposal site within Threat Subcaneaning of Part V of the Environmental Protection Act.	tegory: Waste Disposal Site - Liquid Industrial Waste Injection	n into a well
Ref #	Circumstances		Chemical
1711	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section Protection Act, is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is not more than		Arsenic or one or more of its compounds containing Arsenic
1735	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section Protection Act, is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 380 section.		Arsenic or one or more of its compounds containing Arsenic
1740			BTEX
1741			Cadmium or one or more of its compounds containing Cadmium
1750			Lead or one or more of its compounds containing Lead
1751			Mercury or one or more of its compounds containing Mercury
1757			Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1759	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section Protection Act, is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 3,800 methods.		Arsenic or one or more of its compounds containing Arsenic
1760			Atrazine
1761			Barium
1764			BTEX
1765			Cadmium or one or more of its compounds containing Cadmium
1766			Carbofuran
1769			Cyanide (CN-)
1772			Hexachlorobenzene
1774			Lead or one or more of its compounds containing Lead
1775			Mercury or one or more of its compounds containing Mercury
1776			one or more Polychlorinated Biphenyls (PCBs)

Ref # Circumstances Chemical 1777 Oxamyl 1779 Trichloroethane-1,1,1 1780 Trichloroethylene or another DNAPL that could degrade to Trichloroethylene 1781 Vinyl chloride or another DNAPL that could degrade to vinyl chloride 1783 1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Arsenic or one or more of its Protection Act, is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 38,000 but not more than 380,000 cubic metres per year. compounds containing Arsenic 1784 Atrazine 1785 Barium 1787 Bis(2-ethylhexyl) phthalate 1788 BTEX 1789 Cadmium or one or more of its compounds containing Cadmium 1790 Carbofuran 1791 Chlorobenzene 1792 Copper or one or more of its compounds containing Copper 1793 Cyanide (CN-) 1794 Dichlorobenzene-1,2 (ortho) 1795 Dichlorobenzene-1,4 (para) 1796 Hexachlorobenzene 1797 Hexachlorocyclopentadiene 1798 Lead or one or more of its compounds containing Lead 1799 Mercury or one or more of its compounds containing Mercury 1800 one or more Polychlorinated Biphenyls (PCBs) 1801 Oxamyl 1802 Trichlorobenzene-1,2,4 1803 Trichloroethane-1.1.1

<u>The establishment, operation or maintenance of a waste disposal site within</u> the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Liquid Industrial Waste Injection into a well

<u>The establishment, operation or maintenance of a waste disposal site within</u> the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Liquid Industrial Waste Injection into a well

Ref #	Circumstances	Chemical
1804		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1805		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1806		Zinc or one or more of its compounds containing Zinc
1807	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 380,000 but not more than 3,800,000 cubic metres per year.	Arsenic or one or more of its compounds containing Arsenic
1808		Atrazine
1809		Barium
1810		Bis(2-ethylhexyl) adipate
1811		Bis(2-ethylhexyl) phthalate
1812		BTEX
1813		Cadmium or one or more of its compounds containing Cadmium
1814		Carbofuran
1815		Chlorobenzene
1816		Copper or one or more of its compounds containing Copper
1817		Cyanide (CN-)
1818		Dichlorobenzene-1,2 (ortho)
1819		Dichlorobenzene-1,4 (para)
1820		Hexachlorobenzene
1821		Hexachlorocyclopentadiene
1822		Lead or one or more of its compounds containing Lead
1823		Mercury or one or more of its compounds containing Mercury
1824		one or more Polychlorinated Biphenyls (PCBs)
1825		Oxamyl
1826		Trichlorobenzene-1,2,4
1827		Trichloroethane-1,1,1

<u>The establishment, operation or maintenance of a waste disposal site within</u> <u>the meaning of Part V of the Environmental Protection Act.</u> Threat Subcategory: Waste Disposal Site - Liquid Industrial Waste Injection into a well

Ref #	Circumstances	Chemical
1828		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1829		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1830		Zinc or one or more of its compounds containing Zinc
1831	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 3,800,000 but not more than 38,000,000 cubic metres per year.	Arsenic or one or more of its compounds containing Arsenic
1832		Atrazine
1833		Barium
1834		Bis(2-ethylhexyl) adipate
1835		Bis(2-ethylhexyl) phthalate
1836		BTEX
1837		Cadmium or one or more of its compounds containing Cadmium
1838		Carbofuran
1839		Chlorobenzene
1840		Copper or one or more of its compounds containing Copper
1841		Cyanide (CN-)
1842		Dichlorobenzene-1,2 (ortho)
1843		Dichlorobenzene-1,4 (para)
1844		Hexachlorobenzene
1845		Hexachlorocyclopentadiene
1846		Lead or one or more of its compounds containing Lead
1847		Mercury or one or more of its compounds containing Mercury
1848		one or more Polychlorinated Biphenyls (PCBs)
1849		Oxamyl
1850		Trichlorobenzene-1,2,4
1851		Trichloroethane-1,1,1

<u>The establishment, operation or maintenance of a waste disposal site within</u> <u>the meaning of Part V of the Environmental Protection Act.</u> Threat Subcategory: Waste Disposal Site - Liquid Industrial Waste Injection into a well

Ref #	Circumstances	Chemical
1852		Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1853		Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1854		Zinc or one or more of its compounds containing Zinc
1855	1. The land disposal of liquid industrial waste within the meaning of clause (c) of the definition of "land disposal" in section 1 of Regulation 347 (General - Waste Management) made under the Environmental Protection Act, is undertaken at the site. 2. The combined rate of discharge of all wells located at the site is more than 38,000,000 cubic metres per year.	Arsenic or one or more of its compounds containing Arsenic
1856		Atrazine
1857		Barium
1858		Bis(2-ethylhexyl) adipate
1859		Bis(2-ethylhexyl) phthalate
1860		BTEX
1861		Cadmium or one or more of its compounds containing Cadmium
1862		Carbofuran
1863		Chlorobenzene
1864		Copper or one or more of its compounds containing Copper
1865		Cyanide (CN-)
1866		Dichlorobenzene-1,2 (ortho)
1867		Dichlorobenzene-1,4 (para)
1868		Hexachlorobenzene
1869		Hexachlorocyclopentadiene
1870		Lead or one or more of its compounds containing Lead
1871		Mercury or one or more of its compounds containing Mercury
1872		one or more Polychlorinated Biphenyls (PCBs)
1873		Oxamyl
1874		Trichlorobenzene-1,2,4
1875		Trichloroethane-1,1,1

<u>The establishment, operation or maintenance of a waste disposal site within</u> the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - Liquid Industrial Waste Injection into a well

Ref # Circumstances	Chemical
1876	Trichloroethylene or another DNAPL that could degrade to Trichloroethylene
1877	Vinyl chloride or another DNAPL that could degrade to vinyl chloride
1878	Zinc or one or more of its compounds containing Zinc

<u>The establishment, operation or maintenance of a waste disposal site within</u> the meaning of Part V of the Environmental Protection Act. Threat Subcategory: Waste Disposal Site - PCB Waste Storage

Ref #	Circumstances	Chemical
1879	1.PCB waste is stored below grade in a facility or engineered cell. 2.The PCB waste is stored at a PCB waste disposal site as described in Section 3 of Regulation 362 (Waste Management – PCBs), R.R.O. 1990, made under the Environmental Protection Act or was delivered to a site under written instructions of a Director in accordance with clause 8(a) of that regulation.	one or more Polychlorinated Biphenyls (PCBs)
1881	1.PCB waste stored in storage tanks below grade. 2.The PCB waste is stored at a PCB waste disposal site as described in Section 3 of Regulation 362 (Waste Management – PCBs), R.R.O. 1990, made under the Environmental Protection Act or was delivered to a site under written instructions of a Director in accordance with clause 8(a) of that regulation.	

<u>The establishment, operation or maintenance of a waste disposal site within</u> <u>the meaning of Part V of the Environmental Protection Act.</u> Threat Subcategory: Waste Disposal Site - Storage Of Hazardous Waste At Disposal Sites

Ref #	Circumstances	Chemical
1894	1. Hazardous waste or liquid industrial waste is stored below grade.	Arsenic or one or more of its compounds containing Arsenic
1895		Barium
1896		Cadmium or one or more of its compounds containing Cadmium
1897		Chromium VI
1898		Dichlorophenoxy Acetic Acid (D-2,4)
1899		Lead or one or more of its compounds containing Lead
1900		Mercury or one or more of its compounds containing Mercury
1901		Selenium or one or more of its compounds containing Selenium
1902		Silver or one or more of its compounds containing Silver
1903		Trichlorophenoxyacetic acid-2,4,5

The establishment, operation or maintenance of a waste disposal site within
the meaning of Part V of the Environmental Protection Act.Threat Subcategory: `(u) of the definition of

Threat Subcategory: Waste Disposal Site - Storage of wastes described in clauses (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste

Ref #	Circumstances	Chemical
1915	1. A site that is not approved to accept hazardous waste or liquid industrial waste but accepts a waste described in clause (p), (q), (r), (s), (t) or (u) of the definition of hazardous waste as defined in Regulation 347 (General - Waste Management) made under the Environmental Protection Act, or in clause (d) of the definition of liquid industrial waste in that regulation, and stores the waste at or above grade.	Barium
1924		Arsenic or one or more of its compounds containing Arsenic
1925		Barium
1926		Cadmium or one or more of its compounds containing Cadmium
1927		Chromium VI
1928		Dichlorophenoxy Acetic Acid (D-2,4)
1929		Lead or one or more of its compounds containing Lead
1930		Mercury or one or more of its compounds containing Mercury
1931		Selenium or one or more of its compounds containing Selenium
1932		Silver or one or more of its compounds containing Silver
1933		Trichlorophenoxyacetic acid-2,4,5
1935		Barium